




## 3-Way ball valve

# THREADED FEMALE OUTLET - DOUBLE ACTING PNEUMATIC ACTUATOR - FPM ITEM 878



| REFERENCE | DESCRIPTION                         | Net weight | Volumen (m³) | Gross weight | Unidades lote |
|-----------|-------------------------------------|------------|--------------|--------------|---------------|
| 111V673   | V.E.3V L R/H 1" ACT.NEUM DE FPM     | 0          | 0,00891      | 0            | 1             |
| 111V675   | V.E.3V L R/H 1 1/2" ACT.NEUM DE FPM | 2,7664     | 0,04460      | 3,4322       | 1             |
| 111V676   | V.E.3V L R/H 2" ACT.NEUM DE FPM     | 5,439      | 0,04460      | 6,1048       | 1             |
| 111V677   | V.E.3V L R/H 2 1/2" ACT.NEUM DE FPM | 7,8559     | 0,04836      | 8,6994       | 1             |
| 111V713   | V.E.3V T R/H 1" ACT.NEUM DE FPM     | 0          | 0,00891      | 0            | 1             |
| 111V715   | V.E.3V T R/H 1 1/2" ACT.NEUM DE FPM | 2,7664     | 0,04460      | 3,4322       | 1             |
| 111V716   | V.E.3V T R/H 2" ACT.NEUM DE FPM     | 5,439      | 0,04460      | 6,1048       | 1             |
| 111V717   | V.E.3V T R/H 2 1/2" ACT.NEUM DE FPM | 7,8559     | 0,04836      | 8,6994       | 1             |





## ITEM 878 | THREADED FEMALE OUTLET - DOUBLE ACTING PNEUMATIC ACTUATOR - FPM

| VITON  | r      | Actuador | PESO (g) | DN | Modelo | A   | B   | C  | D      | E   | PN   | TIPO ROSCA |
|--------|--------|----------|----------|----|--------|-----|-----|----|--------|-----|------|------------|
| 11V673 | 1"     | H050 DE  | 1806     | 25 | L      | 162 | 72  | 23 | =87+96 | 138 | PN16 | BSP        |
| 11V675 | 1 1/2" | H050 DE  | 2801     | 40 | L      | 210 | 103 | 33 | 217    | 138 | PN16 | BSP        |
| 11V676 | 2"     | H075 DE  | 5518     | 50 | L      | 261 | 120 | 29 | 267    | 156 | PN16 | BSP        |
| 11V677 | 2 1/2" | H075 DE  | 8013     | 65 | L      | 322 | 150 | 33 | 308    | 156 | PN10 | BSP        |
| 11V713 | 1"     | H050 DE  | 1802     | 25 | T      | 162 | 72  | 23 | =87+96 | 138 | PN16 | BSP        |
| 11V715 | 1 1/2" | H050 DE  | 2791     | 40 | T      | 210 | 103 | 33 | 217    | 138 | PN16 | BSP        |
| 11V716 | 2"     | H075 DE  | 5500     | 50 | T      | 261 | 120 | 29 | 267    | 156 | PN16 | BSP        |
| 11V717 | 2 1/2" | H075 DE  | 7973     | 65 | T      | 322 | 150 | 33 | 308    | 156 | PN10 | BSP        |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es