



PVC-U pressure fittings

90° reducing tee compression fitting outlet ITEM 893

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1001879	90° REDUCING TEE COMPRESSION FITTINGOUTLET50-20-50	0,214233	0,03129	7	30
1001880	90° REDUCING TEE COMPRESSION FITTINGOUTLET50-25-50	0,2362	0,03129	7,59	30
1001881	90° REDUCING TEE COMPRESSION FITTINGOUTLET63-20-63	0,29294	0,04717	9,43	30
1001882	90° REDUCING TEE COMPRESSION FITTINGOUTLET63-25-63	0,3296	0,04717	10,445	30
1001885	90° REDUCING TEE COMPRESSION FITTINGOUTLET90-32-90	0,96485	0,04717	12,22	12
1001886	90° REDUCING TEE COMPRESSION FITTINGOUTLET90-63-90	0	0,04717	0	12



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 893 | 90° reducing tee compression fitting outlet

CÓDIGO	A-a	PESO (g)	B	C	D	PN	MEDIDA
01879	50-20	190	60	88	114	PN16	MÉTRICO
01880	50-25	206	60	91	114	PN16	MÉTRICO
01881	63-20	305	76	95	141	PN16	MÉTRICO
01882	63-25	330	76	98	141	PN16	MÉTRICO
01885	90-32	1030	108	122	199	PN16	MÉTRICO
01886	90-63	1400	108	168	199	PN16	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es

Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es