



PVC-U pressure fittings

## 90° tee solvent socket-male thread ITEM 203

| REFERENCE | DESCRIPTION                           | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|---------------------------------------|------------|---------------------------|--------------|---------------|
| 1002414   | TEE 90° PLAIN-MALE TH-PLAIN 50 1 1/2" | 0,216416   | 0,03682                   | 11,37        | 50            |
| 1002415   | TEE 90° PLAIN-MALE TH-PLAIN 63-2"     | 0,34235    | 0,03129                   | 7,42         | 20            |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 203 | 90° tee solvent socket-male thread

| CÓDIGO | A-a       | PESO (g) | B  | C  | D   | PN   | MEDIDA |
|--------|-----------|----------|----|----|-----|------|--------|
| 02414  | 50-1 1/2" | 188      | 61 | 22 | 114 | PN10 | BSP    |
| 02415  | 63-2"     | 295      | 76 | 26 | 141 | PN10 | BSP    |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es

## Product Documents



## Product Certificates



## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es