




## 'Basic' ball valves

# BASIC BALL VALVE FEMALE THREAD - MALE SOLVENT SOCKET OUTLET FPM ITEM 783



| REFERENCE | DESCRIPTION                               | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|-------------------------------------------|------------|---------------------------|--------------|---------------|
| 1011020   | VALV. ENLACE ENC. MACHO-R/H 20-1/2" FPM   | 0,155      | 0,01553                   | 6,52         | 40            |
| 1011021   | VALV. ENLACE ENC. MACHO-R/H 25-3/4" FPM   | 0,2114     | 0,02243                   | 8,945        | 40            |
| 1011022   | VALV. ENLACE ENC. MACHO-R/H 32-1" FPM     | 0,3842     | 0,03129                   | 12,1         | 30            |
| 1011023   | VALV. ENLACE ENC. MACHO-R/H 40-1 1/4" FPM | 0,557      | 0,03129                   | 11,75        | 20            |
| 1011026   | VALV. ENLACE ENC. MACHO-R/H 50-1 1/2" FPM | 0,83       | 0,03129                   | 13,07        | 15            |
| 1011027   | VALV. ENLACE ENC. MACHO-R/H 63-2" FPM     | 1,365      | 0,03682                   | 14,35        | 10            |





## ITEM 783 | BASIC BALL VALVE FEMALE THREAD - MALE SOLVENT SOCKET OUTLET FPM

| CÓDIGO | f         | PESO (g) | DN | A   | B   | C  | D   | F  | G  | PN   | TIPO ROSCA |
|--------|-----------|----------|----|-----|-----|----|-----|----|----|------|------------|
| 11020  | 20-1/2"   | 155      | 15 | 98  | 52  | 16 | 78  | 47 | 17 | PN16 | BSP        |
| 11021  | 25-3/4"   | 211      | 20 | 107 | 59  | 19 | 84  | 51 | 20 | PN16 | BSP        |
| 11022  | 32-1"     | 384      | 25 | 131 | 70  | 23 | 97  | 66 | 23 | PN16 | BSP        |
| 11023  | 40-1 1/4" | 557      | 32 | 150 | 84  | 25 | 128 | 72 | 26 | PN16 | BSP        |
| 11026  | 50-1 1/2" | 830      | 40 | 167 | 99  | 31 | 142 | 77 | 33 | PN16 | BSP        |
| 11027  | 63-2"     | 1365     | 50 | 186 | 121 | 38 | 165 | 90 | 29 | PN16 | BSP        |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es