



'basic' bi-directional ball valve

Female threaded outlet - single acting spring return actuator - PTFE ITEM 661



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111D510	BALL VALVE SIMP.ACT.PNEUM.ACCT.F/T.OUT. 20	1,616	0,01553	1,9427	1
111D511	BALL VALVE SIMP.ACT.PNEUM.ACCT.F/T.OUT. 25	1,6755	0,02243	2,1632	1
111D512	BALL VALVE SIMP.ACT.PNEUM.ACCT.F/T.OUT. 32	1,8504	0,03129	2,4234	1
111D513	BALL VALVE SIMP.ACT.PNEUM.ACCT.F/T.OUT. 40	2,814	0,03129	3,387	1
111D514	BALL VALVE SIMP.ACT.PNEUM.ACCT.F/T.OUT. 50	3,0855	0,03129	3,6585	1
111D515	BALL VALVE SIMP.ACT.PNEUM.ACCT.F/T.OUT. 63	3,672	0,03648	4,266	1
111D516	V.BOLA BIDIREC. ACT. NEUM. S/E R/H 75	5,711	0,04460	6,405	1
111D517	V.BOLA BIDIREC. ACT. NEUM. S/E R/H 90	11,61	0,04460	0	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 661 | Female threaded outlet - single acting spring return actuator - PTFE

CÓDIGO	r	Actuador	PESO (g)	DN	A	B	C	D	E	F	PN	TIPO ROSCA
11D510	1/2"	H050SE	1380	15	86	55	17	192	138	44	PN16	BSP
11D511	3/4"	H050SE	1424.2	20	99	62	20	197	138	49	PN16	BSP
11D512	1"	H050SE	1561.1	25	122	72	23	208	138	66	PN16	BSP
11D513	1 1/4"	H063SE	2419.85	32	131	88	26	248	155	71	PN16	BSP
11D514	1 1/2"	H063SE	2698.24	40	155	103	33	265	155	75	PN16	BSP
11D515	2"	H063SE	3252	50	180	120	29	307	155	89	PN16	BSP
11D516	2 1/2"	H075SE	6080	65	202	150	33	376	210	119	PN10	BSP
11D517	3"	H100SE	11180	80	232	181	36	426	280	140	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es