



'Compact' ball valves

## Fitting female threaded outlet PTFE ITEM 716

| REFERENCE | DESCRIPTION                                  | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|----------------------------------------------|------------|---------------------------|--------------|---------------|
| 111C060   | GFPP COMP.B.VALV. FITTING/FEMALE THR.20-1/2" | 0,1552     | 0,01553                   | 3,431        | 20            |
| 111C061   | GFPP COMP.B.VALV. FITTING/FEMALE THR.25-3/4" | 0,202      | 0,01553                   | 4,37         | 20            |
| 111C062   | GFPP COMP.B.VALV. FITTING/FEMALE THR.32-1"   | 0,294987   | 0,02244                   | 4,95         | 15            |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 716 | Fitting female threaded outlet PTFE

| CÓDIGO | d-r     | DN | PESO (g) | A   | B  | C  | F   | PN   | TIPO ROSCA |
|--------|---------|----|----------|-----|----|----|-----|------|------------|
| 11C060 | 20-1/2" | 15 | 155      | 121 | 48 | 17 | 80  | PN10 | BSP        |
| 11C061 | 25-3/4" | 20 | 202      | 134 | 53 | 21 | 80  | PN10 | BSP        |
| 11C062 | 32-1"   | 25 | 295      | 152 | 59 | 23 | 101 | PN10 | BSP        |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es