



PP compression fittings

90° elbow, male threaded ITEM 481

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
112E091	90° ELBOW ,MALE THREAD 20-1/2" GREY	0,059213	0,03129	5,31	80
112E092	90° ELBOW ,MALE THREAD 25-3/4" GREY	0,0692	0,02244	4,93	50
112E093	90° ELBOW ,MALE THREAD 32-1" GREY	0,134	0,03129	7,26	50
112E094	90° ELBOW ,MALE THREAD 40-1 1/4" GREY	0,242	0,03648	7,96	30
112E095	90° ELBOW ,MALE THREAD 50-1 1/2" GREY	0,388	0,03648	8,46	20
112E096	90° ELBOW ,MALE THREAD 63-2" GREY	0,716547	0,04717	11,39	15
112E097	90° ELBOW ,MALE THREAD 75-2 1/2" GREY	1,092	0,06150	11,018	10
112E098	90° ELBOW ,MALE THREAD 90-3" GREY	1,859	0,03129	7,996	4
112E099	90° ELBOW ,MALE THREAD 110-4" GREY	2,746	0,03129	6,052	2
112E361	CODO 90° R/MACHO 25-1/2" GRIS	0,09	0,02243	4,915	50
112E364	CODO 90° R/MACHO 32-3/4" GRIS	0,135	0,03129	7,38	50



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 481 | 90° elbow, male threaded

Código	f tubo - F	Peso (g)	A	B	C	D	E	PN	TIPO ROSCA
12E091	20 - 1/2"	60	21	46	83	77	15	PN16	BSP
12E361	25 - 1/2"	87	26	55	92	81	15	PN16	BSP
12E092	25 - 3/4"	90	26	55	92	81	15	PN16	BSP
12E364	32 - 3/4"	129	33	64	105	94	15	PN16	BSP
12E093	32 - 1"	134	33	64	105	94	17	PN16	BSP
12E094	40 - 1 1/4"	227	42	76	126	104	21	PN16	BSP
12E095	50 - 1 1/2"	370	51	91	145	128	21	PN16	BSP
12E096	63 - 2"	612	64	109	189	156	29	PN16	BSP
12E097	75 - 2 1/2"	1057	77	133	212	178	30	PN10	BSP
12E098	90 - 3"	1919	92	159	263	208	35	PN10	BSP





ITEM 481 | 90° elbow, male threaded

12E099	110 - 4"	2769	112	183	303	244	41	PN10	BSP
--------	----------	------	-----	-----	-----	-----	----	------	-----



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es