




'Basic' ball valves

Double-acting pneumatic actuator valve body – PTFE ITEM 263



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1011589	BALL V. D/ACTING,NEUM. ACTUATOR 20	2,283	0,01553	2,523	1
1011590	BALL V. D/ACTING,NEUM. ACTUATOR 25	2,301	0,02244	2,841	1
1011591	BALL V. D/ACTING,NEUM. ACTUATOR 32	2,399	0,03129	2,959	1
1011592	BALL V. D/ACTING,NEUM. ACTUATOR 40	2,524	0,03129	3,084	1
1011593	BALL V. D/ACTING,NEUM. ACTUATOR 50	2,622	0,00891	3,162	1
1011594	BALL V. D/ACTING,NEUM. ACTUATOR 63	3,6	0,03648	4,3	1
1011595	BALL V. D/ACTING,NEUM. ACTUATOR 75	4,891	0,04460	5,731	1
1011596	BALL V. D/ACTING,NEUM. ACTUATOR 90	5,659	0,02243	6,499	1
1011597	BALL V. D/ACTING,NEUM. ACTUATOR 110	6,03	0,04460	6,87	1
1011598	BALL V. D/ACTING,NEUM. ACTUATOR 125	6,585	0,04460	7,425	1





ITEM 263 | Double-acting pneumatic actuator valve body – PTFE

CÓDIGO	ø tubo	Actuador	PESO (g)	DN	A	B	C	PN	MEDIDA
11589	20	H032DE	2283	15	47	211	117	PN16	MÉTRICO
11590	25	H032DE	2301	20	51	219	117	PN16	MÉTRICO
11591	32	H050DE	2399	25	66	230	138	PN16	MÉTRICO
11592	40	H050DE	2524	32	72	249	138	PN16	MÉTRICO
11593	50	H050DE	2622	40	77	267	138	PN16	MÉTRICO
11594	63	H050DE	3600	50	90	352	138	PN16	MÉTRICO
11595	75	H075DE	4891	65	121	426	210	PN10	MÉTRICO
11596	90	H075DE	5659	80	141	450	210	PN10	MÉTRICO
11597	110	H075DE	6030	100	155	477	210	PN10	MÉTRICO
11598	125	H075DE	6595	112	161	470	210	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 263 | Double-acting pneumatic actuator valve body – PTFE



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es