




## 'Basic' ball valves

# Female threaded outlet - Single acting spring return actuator - PTFE ITEM 254



| REFERENCE | DESCRIPTION                                 | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|---------------------------------------------|------------|---------------------------|--------------|---------------|
| 1011219   | BALL V. S/ACTING, NEUM. ACT, F. THR. 1/2"   | 2,354      | 0,01553                   | 2,6807       | 1             |
| 1011220   | BALL V. S/ACTING, NEUM. ACT, F. THR. 3/4"   | 2,394      | 0,02244                   | 2,934        | 1             |
| 1011221   | BALL V. S/ACTING, NEUM. ACT, F. THR. 1"     | 2,515      | 0,03129                   | 3,075        | 1             |
| 1011222   | BALL V. S/ACTING, NEUM. ACT, F. THR. 1 1/4" | 2,74       | 0,03129                   | 3,3          | 1             |
| 1011223   | BALL V. S/ACTING, PNEUM. ACT, F/THR. 1 1/2" | 3,016      | 0,03129                   | 3,576        | 1             |
| 1011224   | BALL V. S/ACTING, NEUM. ACT, F. THR. 2"     | 4,204      | 0,03648                   | 4,904        | 1             |
| 1011225   | BALL V. S/ACTING, NEUM. ACT, F. THR. 2 1/2" | 6,039      | 0,04460                   | 6,879        | 1             |
| 1011226   | BALL V. S/ACTING, NEUM. ACT, F. THR. 3"     | 7,735      | 0,04460                   | 8,575        | 1             |
| 1011227   | BALL V. S/ACTING, NEUM. ACT, F. THR. 4"     | 8,774      | 0,04460                   | 9,614        | 1             |






## ITEM 254 | Female threaded outlet - Single acting spring return actuator - PTFE

| CÓDIGO | r      | PESO (g) | DN  | Actuador | B  | C   | D   | E   | F   | G   | PN   | TIPO ROSCA |
|--------|--------|----------|-----|----------|----|-----|-----|-----|-----|-----|------|------------|
| 11219  | 1/2"   | 2354     | 15  | H050SE   | 17 | 52  | 47  | 91  | 211 | 138 | PN16 | BSP        |
| 11220  | 3/4"   | 2394     | 20  | H050SE   | 20 | 59  | 51  | 101 | 219 | 138 | PN16 | BSP        |
| 11221  | 1"     | 2515     | 25  | H050SE   | 23 | 70  | 66  | 120 | 230 | 138 | PN16 | BSP        |
| 11222  | 1 1/4" | 2740     | 32  | H063SE   | 26 | 84  | 72  | 134 | 249 | 156 | PN16 | BSP        |
| 11223  | 1 1/2" | 3016     | 40  | H063SE   | 33 | 99  | 77  | 153 | 267 | 156 | PN16 | BSP        |
| 11224  | 2"     | 4204     | 50  | H063SE   | 29 | 121 | 90  | 161 | 352 | 156 | PN16 | BSP        |
| 11225  | 2 1/2" | 6039     | 65  | H075SE   | 33 | 151 | 121 | 204 | 426 | 210 | PN10 | BSP        |
| 11226  | 3"     | 7735     | 80  | H100SE   | 36 | 175 | 141 | 234 | 450 | 281 | PN10 | BSP        |
| 11227  | 4"     | 8774     | 100 | H100SE   | 42 | 210 | 155 | 267 | 477 | 281 | PN10 | BSP        |





## Product Documents



## Product Certificates



## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es