



GRPP hinged sleeve

Hinged sleeve solvent socket outlet

ITEM 136



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1005001	HINGED SLEEVES SOLV. SOCK/OUT 250-50	3,94315	0,04836	8,575	2
1005002	HINGED SLEEVES SOLV. SOCK/OUT 250-63	0,34	0,04836	8,61	2
1005003	HINGED SLEEVES SOLV. SOCK/OUT 250-75	4,00815	0,04836	8,705	2
1005004	HINGED SLEEVES SOLV. SOCK/OUT 250-90	4,03815	0,04836	8,765	2
1005005	HINGED SLEEVES SOLV. SOCK/OUT 250-125	4,05815	0,04836	8,805	2
1005006	HINGED SLEEVES SOLV. SOCK/OUT 250-110	4,16815	0,04836	9,025	2
1005007	HINGED SLEEVES SOLV. SOCK/OUT 315-50	6,2589	0,04880	6,846	1
1005008	HINGED SLEEVES SOLV. SOCK/OUT 315-63	6,6879	0,04880	7,275	1
1005009	HINGED SLEEVES SOLV. SOCK/OUT 315-75	6,483	0,04880	7,063	1
1005010	HINGED SLEEVES SOLV. SOCK/OUT 315-90	6,4329	0,04880	7,02	1
1005011	HINGED SLEEVES SOLV. SOCK/OUT 315-110	6,5709	0,04880	7,158	1
1005012	HINGED SLEEVES SOLV. SOCK/OUT 315-125	6,405	0,04880	6,99	1
1005013	HINGED SLEEVES SOLV. SOCK/OUT 225-125	3,6275	0,04836	7,925	2
1005020	HINGED SLEEVES SOLV. SOCK/OUT 225-50	3,6082	0,04836	7,905	2
1005021	HINGED SLEEVES SOLV. SOCK/OUT 225-63	3,58565	0,04836	7,86	2
1005022	HINGED SLEEVES SOLV. SOCK/OUT 225-75	3,53065	0,04836	7,75	2
1005023	HINGED SLEEVES SOLV. SOCK/OUT 225-90	3,60565	0,04836	7,9	2
1005024	HINGED SLEEVES SOLV. SOCK/OUT 225-110	3,78065	0,04836	8,25	2
1005334	HINGED SLEEVES SOLV. SOCK/OUT 225-20	3,562	0,04836	7,964	2
1005335	HINGED SLEEVES SOLV. SOCK/OUT 225-25	3,553	0,04836	7,946	2
1005336	HINGED SLEEVES SOLV. SOCK/OUT 225-32	3,644	0,04836	7,96	2
1005337	HINGED SLEEVES SOLV. SOCK/OUT 225-40	3,718	0,04836	8,11	2
1005338	HINGED SLEEVES SOLV. SOCK/OUT 250-20	4,18145	0,04836	9,028	2





GRPP hinged sleeve



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 136

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	contenido.Peso bruto	Unidades lote
1005339	HINGED SLEEVES SOLV. SOCK/OUT 250-25	3,924	0,04836	8,688	2
1005340	HINGED SLEEVES SOLV. SOCK/OUT 250-32	4,07745	0,04836	8,82	2
1005341	HINGED SLEEVES SOLV. SOCK/OUT 250-40	3,9979	0,04836	8,661	2
1005342	HINGED SLEEVES SOLV. SOCK/OUT 315-20	5,185	0,06347	6,085	1
1005343	HINGED SLEEVES SOLV. SOCK/OUT 315-25	5,176	0,04880	5,936	1
1005344	HINGED SLEEVES SOLV. SOCK/OUT 315-32	5,166	0,04880	5,926	1
1005345	HINGED SLEEVES SOLV. SOCK/OUT 315-40	5,151	0,04880	5,911	1
1005346	HINGED SLEEVES SOLV SOCK/OUT 160-20	3,313	0,03648	7,22	2
1005347	HINGED SLEEVES SOLV SOCK/OUT 160-25	3,333	0,04460	7,36	2
1005348	HINGED SLEEVES SOLV SOCK/OUT 160-32	3,2233	0,04460	7,2	2
1005349	HINGED SLEEVES SOLV SOCK/OUT 160-40	3,187	0,04460	7,204	2
1005350	HINGED SLEEVES SOLV SOCK/OUT 160-50	3,18575	0,04460	7,125	2
1005351	HINGED SLEEVES SOLV. SOCK/OUT 160-63	3,2512	0,03648	7,12	2
1005352	HINGED SLEEVES SOLV. SOCK/OUT 160-75	3,2555	0,03648	7,105	2
1005353	HINGED SLEEVES SOLV. SOCK/OUT 160-90	3,2637	0,03648	7,145	2
1005354	HINGED SLEEVES SOLV. SOCK/OUT 160-110	3,3912	0,03648	7,4	2
1005355	HINGED SLEEVES SOLV. SOCK/OUT 160-125	3,2712	0,03648	7,16	2
1005401	HINGED SLEEVES SOLV. SOCK/OUT 200-20	3,43105	0,04460	7,592	2
1005402	HINGED SLEEVES SOLV. SOCK/OUT 200-25	3,4105	0,04460	7,515	2
1005403	HINGED SLEEVES SOLV. SOCK/OUT 200-32	3,29075	0,04460	7,335	2
1005404	HINGED SLEEVES SOLV. SOCK/OUT 200-40	3,3435	0,04460	7,381	2



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es





GRPP hinged sleeve


Hinged sleeve solvent socket outlet

ITEM 136



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	contenido.Peso bruto	Unidades lote
1005407	HINGED SLEEVES SOLV. SOCK/OUT 200-75	3,21075	0,04460	7,175	2
1005408	HINGED SLEEVES SOLV. SOCK/OUT 200-90	3,25575	0,04460	7,265	2
1005409	HINGED SLEEVES SOLV. SOCK/OUT 200-110	3,39075	0,04460	7,535	2
1005410	HINGED SLEEVES SOLV. SOCK/OUT 200-125	3,32075	0,04460	7,395	2
1005461	HINGED SLEEVES SOLV. SOCK/OUT 400-20	6,77	0,06347	7,6	1
1005462	HINGED SLEEVES SOLV. SOCK/OUT 400-25	6,72	0,06347	7,55	1
1005463	HINGED SLEEVES SOLV. SOCK/OUT 400-32	6,72	0,06347	7,55	1
1005464	HINGED SLEEVES SOLV. SOCK/OUT 400-40	6,66	0,06347	7,49	1
1005465	HINGED SLEEVES SOLV. SOCK/OUT 400-50	6,5113	0,06347	7,31	1
1005466	HINGED SLEEVES SOLV. SOCK/OUT 400-63	6,73	0,06347	7,56	1
1005467	HINGED SLEEVES SOLV. SOCK/OUT 400-75	6,8003	0,06347	7,599	1
1005468	HINGED SLEEVES SOLV. SOCK/OUT 400-90	6,7013	0,06347	7,5	1
1005469	HINGED SLEEVES SOLV. SOCK/OUT 400-110	6,8463	0,06347	7,645	1
1005470	HINGED SLEEVES SOLV. SOCK/OUT 400-125	6,8013	0,06347	7,6	1
1005471	HINGED SLEEVES SOLV. SOCK/OUT 400-140	7,3	0,06347	8,18	1
1005472	HINGED SLEEVES SOLV. SOCK/OUT 400-160	7,5115	0,08678	8,545	1
1005478	HINGED SLEEVES SOLV. SOCK/OUT 315-140	6,13	0,04880	7,117	1
1005479	HINGED SLEEVES SOLV. SOCK/OUT 315-160	7,1449	0,04879	7,98	1





ITEM 136 | Hinged sleeve solvent socket outlet

CÓDIGO	f tubo	f salida	PESOS	A	B	C	D	E	PN	MEDIDA
05346	160	20	3221	160	225	224	8	16	PN6	MÉTRICO
05347	160	25	3212	160	225	224	8	19	PN6	MÉTRICO
05348	160	32	3202	160	225	224	8	22	PN6	MÉTRICO
05349	160	40	3187	160	225	224	8	26	PN6	MÉTRICO
05350	160	50	3172	160	225	224	8	31	PN6	MÉTRICO
05351	160	63	3139	160	225	231	15	38	PN6	MÉTRICO
05352	160	75	3144	160	225	237	21	44	PN6	MÉTRICO
05353	160	90	3230	160	225	244	28	51	PN6	MÉTRICO
05354	160	110	3269	160	225	279	63	61	PN6	MÉTRICO
05355	160	125	3162	160	225	285	69	69	PN6	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 136 | Hinged sleeve solvent socket outlet

05401	200	20	3279	200	227	258	8	16	PN6	MÉTRICO
05402	200	25	3270	200	227	258	8	19	PN6	MÉTRICO
05403	200	32	3260	200	227	258	8	22	PN6	MÉTRICO
05404	200	40	3245	200	227	258	8	26	PN6	MÉTRICO
05405	200	50	3230	200	227	258	8	31	PN6	MÉTRICO
05406	200	63	3197	200	227	265	15	38	PN6	MÉTRICO
05407	200	75	3202	200	227	271	21	44	PN6	MÉTRICO
05408	200	90	3288	200	227	278	28	51	PN6	MÉTRICO
05409	200	110	3327	200	227	313	63	61	PN6	MÉTRICO
05410	200	125	3220	200	227	319	69	69	PN6	MÉTRICO
05334	225	20	3562	225	225	282	8	16	PN6	MÉTRICO
05335	225	25	3553	225	225	282	8	19	PN6	MÉTRICO
05336	225	32	3543	225	225	282	8	22	PN6	MÉTRICO
05337	225	40	3528	225	225	282	8	26	PN6	MÉTRICO
05020	225	50	3513	225	225	282	8	31	PN6	MÉTRICO
05021	225	63	3480	225	225	289	15	38	PN6	MÉTRICO
05022	225	75	3485	225	225	295	21	44	PN6	MÉTRICO
05023	225	90	3571	225	225	302	28	51	PN6	MÉTRICO
05024	225	110	3610	225	225	337	63	61	PN6	MÉTRICO
05013	225	125	3503	225	225	343	69	69	PN6	MÉTRICO
05338	250	20	3933	250	239	307	8	16	PN6	MÉTRICO
05339	250	25	3924	250	239	307	8	19	PN6	MÉTRICO
05340	250	32	3914	250	239	307	8	22	PN6	MÉTRICO
05341	250	40	3899	250	239	307	8	26	PN6	MÉTRICO
05001	250	50	3884	250	239	307	8	31	PN6	MÉTRICO
05002	250	63	3851	250	239	314	15	38	PN6	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 136 | Hinged sleeve solvent socket outlet

05003	250	75	3856	250	239	320	21	44	PN6	MÉTRICO
05004	250	90	3942	250	239	327	28	51	PN6	MÉTRICO
05006	250	110	3981	250	239	362	63	61	PN6	MÉTRICO
05005	250	125	3874	250	239	368	69	69	PN6	MÉTRICO
05342	315	20	5185	315	250	369	8	16	PN6	MÉTRICO
05343	315	25	5176	315	250	369	8	19	PN6	MÉTRICO
05344	315	32	5166	315	250	369	8	22	PN6	MÉTRICO
05345	315	40	5151	315	250	369	8	26	PN6	MÉTRICO
05007	315	50	5136	315	250	369	8	31	PN6	MÉTRICO
05008	315	63	5103	315	250	376	15	38	PN6	MÉTRICO
05009	315	75	5108	315	250	382	21	44	PN6	MÉTRICO
05010	315	90	5194	315	250	389	28	51	PN6	MÉTRICO
05011	315	110	5233	315	250	424	63	61	PN6	MÉTRICO
05012	315	125	5126	315	250	430	69	69	PN6	MÉTRICO
05478	315	140	6130	315	282	445	55	76	PN6	MÉTRICO
05479	315	160	6185	315	282	455	65	86	PN6	MÉTRICO
05461	400	20	6906	400	282	473	8	16	PN6	MÉTRICO
05462	400	25	6897	400	282	473	8	19	PN6	MÉTRICO
05463	400	32	6887	400	282	473	8	22	PN6	MÉTRICO
05464	400	40	6872	400	282	473	8	26	PN6	MÉTRICO
05465	400	50	6857	400	282	473	8	31	PN6	MÉTRICO
05466	400	63	6824	400	282	480	15	38	PN6	MÉTRICO
05467	400	75	6829	400	282	486	21	44	PN6	MÉTRICO
05468	400	90	6915	400	282	493	28	51	PN6	MÉTRICO
05469	400	110	6954	400	282	503	38	61	PN6	MÉTRICO
05470	400	125	6847	400	282	534	69	69	PN6	MÉTRICO





ITEM 136 | Hinged sleeve solvent socket outlet

05471	400	140	7429	400	282	530	55	76	PN6	MÉTRICO
05472	400	160	7475	400	282	540	65	86	PN6	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es