




## Netvitc System® butterfly valves

# Single acting pneumatic actuator, solvent socket outlet ITEM 174



| REFERENCE | DESCRIPTION                            | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|----------------------------------------|------------|---------------------------|--------------|---------------|
| 109N310   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 63  | 5,8823     | 0,02243                   | 6,37         | 1             |
| 109N311   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 75  | 5,372      | 0,02244                   | 6,202        | 1             |
| 109N312   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 90  | 7,136      | 0,03648                   | 7,73         | 1             |
| 109N313   | NETVITC BTF V. S/ACT. PNEUM, PLAIN 110 | 9,919      | 0,04460                   | 10,749       | 1             |
| 109N314   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 125 | 10,893     | 0,04460                   | 11,723       | 1             |
| 109N315   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 140 | 15,372     | 0,06150                   | 16,352       | 1             |
| 109N316   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 160 | 20,0175    | 0,06150                   | 20,938       | 1             |
| 109N317   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 200 | 22,444     | 0,06150                   | 23,424       | 1             |
| 109N318   | B. NET S. V. S/ACT. PNEUM,S. SOCK. 225 | 23,464     | 0,06150                   | 24,444       | 1             |





## ITEM 174 | Single acting pneumatic actuator, solvent socket outlet

| CÓDIGO | f   | BRIDA | Pesos | A   | B   | C   | D   | E   | PN   | MEDIDA  |
|--------|-----|-------|-------|-----|-----|-----|-----|-----|------|---------|
| 9N310  | 63  | 75    | 5412  | 138 | 218 | 42  | 376 | 205 | PN10 | MÉTRICO |
| 9N311  | 75  | 75    | 5372  | 138 | 192 | 44  | 376 | 205 | PN10 | MÉTRICO |
| 9N312  | 90  | 90    | 6236  | 164 | 235 | 52  | 400 | 205 | PN10 | MÉTRICO |
| 9N313  | 110 | 110   | 9919  | 188 | 247 | 61  | 420 | 205 | PN10 | MÉTRICO |
| 9N314  | 125 | 125   | 10893 | 203 | 282 | 70  | 431 | 205 | PN10 | MÉTRICO |
| 9N315  | 140 | 140   | 15372 | 224 | 298 | 78  | 451 | 310 | PN10 | MÉTRICO |
| 9N316  | 160 | 160   | 17111 | 251 | 315 | 86  | 473 | 310 | PN10 | MÉTRICO |
| 9N317  | 200 | 200   | 22444 | 297 | 390 | 106 | 547 | 310 | PN6  | MÉTRICO |
| 9N318  | 225 | 200   | 23464 | 297 | 476 | 120 | 547 | 310 | PN6  | MÉTRICO |





## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es