



Netvitc System® lineal check valve

Female threaded outlet - Sight glass body ITEM 302



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
1015359	CENTER BODY FLUIDS DISPLAY,F.THR. 2 1/2"	3,3351	0,01783	3,59	1
1015360	CENTER BODY FLUIDS DISPLAY,F.THR. 3"	3,201	0,01783	3,451	1
1015361	CENTER BODY FLUIDS DISPLAY,F.THR. 4"	3,185	0,02457	3,869	1
1015367	CENTER BODY FLUIDS DISPLAY,F.THR. DN65 2"	0,8626	0,00473	1,05	1
1015369	CENTER BODY FLUIDS DISPLAY,F.THR. DN125 2"	3,098	0,01783	3,3927	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 302 | Female threaded outlet - Sight glass body

CÓDIGO	f	PESOS	BRIDA	DN CUERPO	B	C	D	E	PN	TIPO ROSCA
15367	2"	827	63	50	178	125	38	70	PN10	BSP
15369	2"	3130	125	110	294	203	38	122	PN10	BSP
15359	2 1/2"	3050	125	110	294	203	30	122	PN10	BSP
15360	3"	2990	125	110	294	203	34	122	PN10	BSP
15361	4"	3185	125	110	294	203	44	122	PN10	BSP



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es