



Netwell® foot valves

Flotation valve, Female/T

ITEM 294

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1014105	ASPIR. FLOATING V.,F. THR./OUT 2"	2,1851	0,02280	2,54	1
1014106	ASPIR. FLOATING V.,F. THR./OUT 2 1/2"	2,268	0,02280	2,62	1
1014107	ASPIR. FLOATING V.,F. THR./OUT 3"	2,289	0,02280	2,64	1
1014108	ASPIR. FLOATING V.,F. THR./OUT 4"	2,319	0,02280	2,669	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es




ITEM 294 | Flotation valve, Female/T

CÓDIGO	ØA	PESOS	BRIDA	DN CUERPO	B	C	D	E	F	G	PN	TIPO ROSCA
14106	2 1/2"	1747	125	110	143	184	432	118	184	38	PN10	BSP
14107	3"	1757	125	110	143	184	432	118	184	36	PN10	BSP
14108	4"	1823	125	110	143	184	432	118	184	41	PN10	BSP





Product Documents



Product Certificates

Company Certificates

