



Netwell® foot valves

Flotation valve, flange outlet ITEM 604

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1014349	FLANGE OUTLET 125	4,9231	0,03100	5,28	1
1014350	VALV. ASPIRACION FLOTANTE S/BRIDA 125-140	3,907	0,04125	4,16	1
1014352	ASPIRATION V. FLANGE OUTLET 160	6,487	0,06149	7,04	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 604 | Flotation valve, flange outlet

CÓDIGO	Ø TUBO	PESOS	BRIDA	DN CUERPO	C	D	E	F	K	PN	MEDIDA
14349	125	3872	125	110	122	448	118	184	190	PN10	MÉTRICO
14350	125-140	4190	125	110	122	448	118	184	210-216	PN10	MÉTRICO
14352	160	6507	160	150	137	552	152	248	235-241	PN10	MÉTRICO



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es