




PVC-U pressure fittings

F/F threaded 90° tee

ITEM 013

REFERENCE	DESCRIPTION	Net weight	Volumen (m³)	Gross weight	Unidades lote
1002321	PVC 90° TEE THREADED/THREADED/THREADED 1/2"	0,0281	0,00892	2,995	100
1002322	PVC 90° TEE THREADED/THREADED/THREADED 3/4"	0,046883	0,01553	5,015	100
1002323	PVC 90° TEE THREADED/THREADED/THREADED 1"	0,08159	0,02244	6,199	70
1002324	PVC 90° TEE THREADED/THREADED/THREADED 1 1/4"	0,149885	0,03682	12,54	80
1002325	PVC 90° TEE THREADED/THREADED/THREADED 1 1/2"	0,251511	0,04717	16,99	65
1002326	PVC 90° TEE THREADED/THREADED/THREADED 2"	0,4479	0,04717	17,662	38
1002327	PVC 90° TEE THREADED/THREADED/THREADED 2 1/2"	0,588485	0,04717	12,455	20
1002328	PVC 90° TEE THREADED/THREADED/THREADED 3"	1,186642	0,04717	14,925	12





ITEM 013 | F/F threaded 90° tee

Código	A	Peso (g)	B	C	D	PN	ROSCA
02321	1/2"	28	27	16	56	PN10	BSP
02322	3/4"	45	33	17	66	PN10	BSP
02323	1"	86	41	21	99	PN10	BSP
02324	1 1/4"	142	50	23	95	PN10	BSP
02325	1 1/2"	235	61	24	114	PN10	BSP
02326	2"	412	76	28	141	PN10	BSP
02327	2 1/2"	$=0.0004 \cdot D9^3 + 0.053 \cdot D9^2 - 0.8141 \cdot D9 + 2.9664$	90	32	166	PN10	BSP
02328	3"	1102	107	35	199	PN10	BSP



Product Documents



Product Certificates



Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es