




## PVC-U pressure fittings

# Plain F/T 45° elbow

## ITEM 007

| REFERENCE | DESCRIPTION                             | Net weight | Volumen (m³) | Gross weight | Unidades lote |
|-----------|-----------------------------------------|------------|--------------|--------------|---------------|
| 1002211   | 45° ELBOW PLAIN/FEM. THREADED 20-1/2"   | 0,016929   | 0,00473      | 1,81         | 100           |
| 1002212   | 45° ELBOW PLAIN/FEM. THREADED 25-3/4"   | 0,027576   | 0,00892      | 2,945        | 100           |
| 1002213   | 45° ELBOW PLAIN/FEM. THREADED 32-1"     | 0,052583   | 0,01553      | 5,585        | 100           |
| 1002214   | 45° ELBOW PLAIN/FEM. THREADED 40-1 1/4" | 0,093291   | 0,03129      | 10,835       | 110           |
| 1002215   | 45° ELBOW PLAIN/FEM. THREADED 50-1 1/2" | 0,130529   | 0,04717      | 15           | 110           |
| 1002216   | 45° ELBOW PLAIN/FEM. THREADED 63-2"     | 0,2416     | 0,04717      | 13,93        | 55            |
| 1002217   | 45° ELBOW PLAIN/FEM. THREADED 75-2 1/2" | 0,356442   | 0,04117      | 12,49        | 33            |
| 1002218   | 45° ELBOW PLAIN/FEM. THREADED 90-3"     | 0,682256   | 0,04117      | 11,605       | 16            |





## ITEM 007 | Plain F/T 45° elbow

| Código | A-a       | Peso (g) | B   | C   | D  | E  | PN   | ROSCA |
|--------|-----------|----------|-----|-----|----|----|------|-------|
| 02211  | 20-1/2"   | 17       | 27  | 48  | 16 | 16 | PN10 | BSP   |
| 02212  | 25-3/4"   | 28       | 33  | 53  | 19 | 17 | PN10 | BSP   |
| 02213  | 32-1"     | 52       | 41  | 63  | 22 | 21 | PN10 | BSP   |
| 02214  | 40-1 1/4" | 74       | 50  | 80  | 26 | 23 | PN10 | BSP   |
| 02215  | 50-1 1/2" | 131      | 61  | 95  | 31 | 24 | PN10 | BSP   |
| 02216  | 63-2"     | 234      | 75  | 125 | 38 | 28 | PN10 | BSP   |
| 02217  | 75-2 1/2" | 358      | 89  | 140 | 45 | 32 | PN10 | BSP   |
| 02218  | 90-3"     | 638      | 107 | 162 | 51 | 35 | PN10 | BSP   |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es

## Product Documents



## Product Certificates



## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es