




## 'Semi compact' ball valves

## P.E. - solvent s. outlet

### ITEM 728

| REFERENCE | DESCRIPTION                              | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|------------------------------------------|------------|---------------------------|--------------|---------------|
| 111S035   | SEMI-COMPACT BALL V. PLAIN-PE OUTLET 50  | 0,619      | 0,03129                   | 9,285        | 15            |
| 111S036   | SEMI-COMPACT BALL V. PLAIN-PE OUTLET 63  | 1,051      | 0,03682                   | 10,51        | 10            |
| 111S037   | SEMI-COMPACT BALL V. PLAIN-PE OUTLET 75  | 1,932      | 0,03129                   | 7,728        | 4             |
| 111S038   | SEMI-COMPACT BALL V. PLAIN-PE OUTLET 90  | 3,054      | 0,03129                   | 6,108        | 2             |
| 111S039   | SEMI-COMPACT BALL V. PLAIN-PE OUTLET 110 | 4,615      | 0,04460                   | 9,23         | 2             |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## ITEM 728 | P.E. - solvent s. outlet

| CÓDIGO PE | f   | DN  | PESO (g) | A   | B   | C  | D   | E   | F   | PN   | MEDIDA  |
|-----------|-----|-----|----------|-----|-----|----|-----|-----|-----|------|---------|
| 11S035    | 50  | 40  | 732      | 214 | 99  | 31 | 138 | 109 | 79  | PN10 | MÉTRICO |
| 11S036    | 63  | 50  | 1145     | 243 | 116 | 38 | 172 | 124 | 89  | PN10 | MÉTRICO |
| 11S037    | 75  | 65  | 2520     | 287 | 150 | 45 | 215 | 165 | 91  | PN10 | MÉTRICO |
| 11S038    | 90  | 80  | 3693     | 308 | 178 | 51 | 251 | 180 | 100 | PN10 | MÉTRICO |
| 11S039    | 110 | 100 | 5705     | 346 | 210 | 61 | 307 | 206 | 102 | PN10 | MÉTRICO |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es