




## Accesorios de presión PVC-U

# Codo 90° 'AIR' S/Encolar

## ITEM 623

| REFERENCIA | DESCRIPCIÓN                   | Peso<br>neto | Volumen<br>(m³) | Peso<br>bruto | Unidades<br>lote |
|------------|-------------------------------|--------------|-----------------|---------------|------------------|
| 1001627    | CODO 90° ENCOLAR "AIR" 50-25  | 0,167777     | 0,02244         | 5,521         | 30               |
| 1001628    | CODO 90° ENCOLAR "AIR" 63-25  | 0,289233     | 0,03129         | 9,25          | 30               |
| 1001629    | CODO 90° ENCOLAR "AIR" 75-25  | 0,480128     | 0,04717         | 12,645        | 25               |
| 1001630    | CODO 90° ENCOLAR "AIR" 50-20  | 0,17391      | 0,02244         | 5,705         | 30               |
| 1001631    | CODO 90° ENCOLAR "AIR" 63-20  | 0,299692     | 0,03129         | 8,365         | 26               |
| 1001632    | CODO 90° ENCOLAR "AIR" 75-20  | 0,506128     | 0,04717         | 13,295        | 25               |
| 1001633    | CODO 90° ENCOLAR "AIR" 90-25  | 0,79432      | 0,04717         | 8,585         | 10               |
| 1001635    | CODO 90° ENCOLAR "AIR" 110-32 | 1,25132      | 0,04717         | 13,155        | 10               |
| 1001636    | CODO 90° ENCOLAR "AIR" 125-32 | 1,931        | 0,04717         | 12,21         | 6                |
| 1001637    | CODO 90° ENCOLAR "AIR" 125-63 | 1,711367     | 0,04717         | 10,91         | 6                |
| 1001639    | CODO 90° ENCOLAR "AIR" 160-63 | 3,2774       | 0,06150         | 14,03         | 4                |
| 1001640    | CODO 90° ENCOLAR "AIR" 200-63 | 4,894        | 0,06347         | 10,618        | 2                |





## ITEM 623 | Codo 90° 'AIR' S/Encolar

| Código | A   | d  | Peso (g) | B   | C  | D   | E   | PN   | MEDIDA  |
|--------|-----|----|----------|-----|----|-----|-----|------|---------|
| 01630  | 50  | 20 | 145      | 61  | 31 | 100 | 88  | PN16 | MÉTRICO |
| 01627  | 50  | 25 | 142      | 61  | 31 | 100 | 88  | PN16 | MÉTRICO |
| 01631  | 63  | 20 | 230      | 76  | 38 | 120 | 109 | PN16 | MÉTRICO |
| 01628  | 63  | 25 | 226      | 76  | 38 | 120 | 109 | PN16 | MÉTRICO |
| 01632  | 75  | 20 | 450      | 90  | 44 | 140 | 130 | PN16 | MÉTRICO |
| 01629  | 75  | 25 | 445      | 90  | 44 | 140 | 130 | PN16 | MÉTRICO |
| 01633  | 90  | 25 | 806      | 108 | 51 | 175 | 151 | PN16 | MÉTRICO |
| 01635  | 110 | 32 | 1255     | 131 | 61 | 206 | 184 | PN16 | MÉTRICO |
| 01636  | 125 | 32 | 1635     | 143 | 69 | 234 | 210 | PN16 | MÉTRICO |
| 01637  | 125 | 63 | 1602     | 143 | 69 | 234 | 210 | PN16 | MÉTRICO |





## ITEM 623 | Codo 90° 'AIR' S/Encolar

|       |     |    |      |     |     |     |     |      |         |
|-------|-----|----|------|-----|-----|-----|-----|------|---------|
| 01639 | 160 | 63 | 2414 | 182 | 86  | 297 | 265 | PN10 | MÉTRICO |
| 01640 | 200 | 63 | 4891 | 225 | 106 | 340 | 320 | PN10 | MÉTRICO |



## Documentación de Producto



## Certificados de Producto



## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es