




## Gran Evacuación

# Injerto de seguridad

## ITEM 39E

| REFERENCIA | DESCRIPCIÓN                  | Peso<br>neto | Volumen<br>(m³) | Peso<br>bruto | Unidades<br>lote |
|------------|------------------------------|--------------|-----------------|---------------|------------------|
| 1050201    | INJERTO SEGURIDAD 90/40      | 0,10998      | 0,02243         | 5,956         | 50               |
| 1050202    | INJERTO SEGURIDAD 90/50      | 0,07842      | 0,02243         | 4,38          | 50               |
| 1050203    | INJERTO SEGURIDAD 110-125/40 | 0            | 0,02243         | 0             | 50               |
| 1050204    | INJERTO SEGURIDAD 110-125/50 | 0,076        | 0,02243         | 3,105         | 50               |





## ITEM 39E | Injerto de seguridad

| Código | Ø tubo  | A  | B  | C  | D  | PN  | MEDIDA  |
|--------|---------|----|----|----|----|-----|---------|
| 50201  | 90      | 40 | 51 | 74 | 29 | PN0 | MÉTRICO |
| 50202  | 90      | 50 | 51 | 74 | 29 | PN0 | MÉTRICO |
| 50203  | 110-125 | 40 | 44 | 78 | 33 | PN0 | MÉTRICO |
| 50204  | 110-125 | 50 | 44 | 78 | 33 | PN0 | MÉTRICO |





## Documentación de Producto

## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es