




## Válvulas de bola 'Basic'

# Salida r/macho - FPM - Sistema Basic

## ITEM 225

| REFERENCIA | DESCRIPCIÓN                       | Peso<br>neto | Volumen<br>(m <sup>3</sup> ) | Peso<br>bruto | Unidades<br>lote |
|------------|-----------------------------------|--------------|------------------------------|---------------|------------------|
| 1011501    | VALVULA ENLACE R/MACHO 1/2" FPM   | 0,1848       | 0,02244                      | 7,878         | 40               |
| 1011502    | VALVULA ENLACE R/MACHO 3/4" FPM   | 0,2333       | 0,02244                      | 9,818         | 40               |
| 1011503    | VALVULA ENLACE R/MACHO 1" FPM     | 0,381        | 0,03682                      | 12,03         | 30               |
| 1011504    | VALVULA ENLACE R/MACHO 1 1/4" FPM | 0,70235      | 0,03129                      | 14,62         | 20               |
| 1011505    | VALVULA ENLACE R/MACHO 1 1/2" FPM | 0,956        | 0,03682                      | 14,94         | 15               |
| 1011506    | VALVULA ENLACE R/MACHO 2" FPM     | 1,522        | 0,04717                      | 15,968        | 10               |
| 1011507    | VALVULA ENLACE R/MACHO 2 1/2" FPM | 2,976        | 0,03129                      | 12,477        | 4                |
| 1011508    | VALVULA ENLACE R/MACHO 3" FPM     | 4,858        | 0,02243                      | 10,2037       | 2                |






## ITEM 225 | Salida r/macho - FPM - Sistema Basic

| CÓDIGO | r      | DN | PESO (g) | A   | B   | C  | D   | F   | PN   | TIPO ROSCA |
|--------|--------|----|----------|-----|-----|----|-----|-----|------|------------|
| 11501  | 1/2"   | 15 | 173      | 118 | 52  | 14 | 78  | 47  | PN16 | BSP        |
| 11502  | 3/4"   | 20 | 226      | 130 | 59  | 16 | 84  | 51  | PN16 | BSP        |
| 11503  | 1"     | 25 | 381      | 160 | 70  | 19 | 97  | 66  | PN16 | BSP        |
| 11504  | 1 1/4" | 32 | 658      | 176 | 84  | 21 | 128 | 72  | PN16 | BSP        |
| 11505  | 1 1/2" | 40 | 956      | 197 | 99  | 22 | 142 | 77  | PN16 | BSP        |
| 11506  | 2"     | 50 | 1522     | 223 | 121 | 25 | 165 | 90  | PN16 | BSP        |
| 11507  | 2 1/2" | 65 | 2976     | 284 | 151 | 31 | 222 | 121 | PN10 | BSP        |
| 11508  | 3"     | 80 | 4858     | 323 | 175 | 33 | 244 | 141 | PN10 | BSP        |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es