



## Válvulas de bola 'Basic' bidireccional

# Salida mixta - FPM

## ITEM 649

| REFERENCIA | DESCRIPCIÓN                      | Peso neto | Volumen (m³) | Peso bruto | Unidades lote |
|------------|----------------------------------|-----------|--------------|------------|---------------|
| 111D483    | V.BOLA BID S/MIXTA 20-1/2" FPM   | 0,15      | 0,01553      | 6,3267     | 40            |
| 111D484    | V.BOLA BID S/MIXTA 25-3/4" FPM   | 0,198     | 0,02244      | 8,2467     | 40            |
| 111D485    | V.BOLA BID S/MIXTA 32-1" FPM     | 0,339     | 0,03129      | 10,743     | 30            |
| 111D486    | V.BOLA BID S/MIXTA 40-1 1/4" FPM | 0,572     | 0,03129      | 12,013     | 20            |
| 111D487    | V.BOLA BID S/MIXTA 50-1 1/2" FPM | 0,821     | 0,03129      | 12,888     | 15            |
| 111D488    | V.BOLA BID S/MIXTA 63-2" FPM     | 1,323     | 0,03682      | 13,7792    | 10            |
| 111D489    | V.BOLA BID S/MIXTA 75-2 1/2" FPM | 2,76      | 0,03129      | 11,613     | 4             |
| 111D490    | V.BOLA BID S/MIXTA 90-3" FPM     | 4,34      | 0,02243      | 8,68       | 2             |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es





| Modelo | Tamaño    | Peso (g) | DN | A   | B   | C  | D   | E   | F   | G  | PN   | ROSCA |
|--------|-----------|----------|----|-----|-----|----|-----|-----|-----|----|------|-------|
| 11D483 | 20-1/2"   | 150      | 15 | 86  | 55  | 16 | 74  | 80  | 44  | 17 | PN16 | BSP   |
| 11D484 | 25-3/4"   | 190      | 20 | 99  | 62  | 19 | 80  | 80  | 49  | 20 | PN16 | BSP   |
| 11D485 | 32-1"     | 314      | 25 | 122 | 72  | 23 | 103 | 101 | 66  | 23 | PN16 | BSP   |
| 11D486 | 40-1 1/4" | 539      | 32 | 131 | 88  | 25 | 125 | 130 | 71  | 26 | PN16 | BSP   |
| 11D487 | 50-1 1/2" | 802      | 40 | 155 | 103 | 31 | 138 | 130 | 75  | 33 | PN16 | BSP   |
| 11D488 | 63-2"     | 1320     | 50 | 180 | 120 | 38 | 177 | 170 | 89  | 29 | PN16 | BSP   |
| 11D489 | 75-2 1/2" | 2680     | 65 | 202 | 150 | 45 | 215 | 260 | 119 | 33 | PN10 | BSP   |
| 11D490 | 90-3"     | 4290     | 80 | 245 | 181 | 51 | 252 | 260 | 140 | 36 | PN10 | BSP   |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es