




## Visor de líquidos Netvitc System®

# Visor salida brida

## ITEM 513

| REFERENCIA | DESCRIPCIÓN                        | Peso<br>neto | Volumen<br>(m³) | Peso<br>bruto | Unidades<br>lote |
|------------|------------------------------------|--------------|-----------------|---------------|------------------|
| 1018069    | VISOR LIQUIDOS S/BRIDA 125 (K=190) | 5,145        | 0,02244         | 5,685         | 1                |
| 1018070    | VISOR LIQUIDOS S/BRIDA 125 (K=210) | 5,6123       | 0,02457         | 5,93          | 1                |
| 1018071    | VISOR LIQUIDOS S/BRIDA 160         | 8,437        | 0,03129         | 9,01          | 1                |





## ITEM 513 | Visor salida brida

| CÓDIGO | A       | PESO (g) | BRIDA | B   | C   | D  | E   | K       | PN   | MEDIDA  |
|--------|---------|----------|-------|-----|-----|----|-----|---------|------|---------|
| 18069  | 125     | 2800     | 125   | 324 | 230 | 18 | 122 | 190     | PN10 | MÉTRICO |
| 18070  | 125-140 | 3100     | 125   | 324 | 250 | 18 | 122 | 210-216 | PN10 | MÉTRICO |
| 18071  | 160     | 5034     | 160   | 353 | 285 | 18 | 137 | 235-241 | PN10 | MÉTRICO |





## Documentación de Producto



## Certificados de Producto

## Certificados de Empresa



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Servicio Atención  
Técnica comercial  
+ 34 966 105 888



www.hidroten.es