




Clapet crépine Netwell®

## Clapet crépine sortie bride

### ITEM 603

| RÉFÉRENCE | DESCRIPTION             | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|-------------------------|-----------|--------------------------|------------|----------------|
| 1014249   | CRÉPINE À BRIDE 125     | 4,187     | 0,03129                  | 4,76       | 1              |
| 1014250   | CRÉPINE À BRIDE 125-140 | 4,242     | 0,03129                  | 4,815      | 1              |
| 1014252   | CRÉPINE À BRIDE 160     | 6,827     | 0,03129                  | 7,4        | 1              |





## ITEM 603 | Clapet crépine sortie bride

| CÓDIGO | Ø TUBO  | PESOS | BRIDA | DN CUERPO | C   | D   | E   | F  | G   | K       | PN   | MEDIDA  |
|--------|---------|-------|-------|-----------|-----|-----|-----|----|-----|---------|------|---------|
| 14249  | 125     | 4344  | 125   | 110       | 122 | 377 | 259 | 53 | 311 | 190     | PN10 | MÉTRICO |
| 14250  | 125-140 | 4650  | 125   | 110       | 122 | 377 | 259 | 53 | 311 | 210-216 | PN10 | MÉTRICO |
| 14252  | 160     | 6858  | 160   | 150       | 137 | 387 | 280 | 74 | 354 | 235-241 | PN10 | MÉTRICO |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es