




Electrofusion

Connexion modulé électrofusion ITEM 166

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m³)	Poids brut	Unités par lot
1019157	CONNEXION MODULÁ ELECTROF. 63-63	0,31866	0,01553	1,92	5
1019158	CONNEXION MODULÁ ELECTROF. 75-63	0,48066	0,01553	2,73	5
1019159	CONNEXION MODULÁ ELECTROF. 90-63	0,63946	0,02244	3,685	5
1019160	CONNEXION MODULÁ ELECTROF. 110-63	0,644433	0,01553	2,26	3
1019161	CONNEXION MODULÁ ELECTROF. 125-63	0,632767	0,01553	2,225	3
1019162	CONNEXION MODULÁ ELECTROF. 140-63	0,509433	0,01553	1,855	3
1019163	CONNEXION MODULÁ ELECTROF. 160-63	0,4941	0,02244	1,97	3
1019164	CONNEXION MODULÁ ELECTROF. 200-63	0,63416	0,01553	2,39018	3






ITEM 166 | Connexion modulé électrofusion

Código	f tubo-A-a	Peso (g)	L	PN	MEDIDA
19157	63-63	335	165	PN16	MÉTRICO
19158	75-63	465	165	PN16	MÉTRICO
19159	90-63	425	165	PN16	MÉTRICO
19160	110-63	493	165	PN16	MÉTRICO
19161	125-63	523	165	PN16	MÉTRICO
19162	140-63	543	165	PN16	MÉTRICO
19163	160-63	595	165	PN16	MÉTRICO
19164	200-63	651	165	PN16	MÉTRICO





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es