



## Raccords PVC-U pression

# Té 90° réducteur à coller

## ITEM 010

| RÉFÉRENCE | DESCRIPTION                     | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|---------------------------------|-----------|-------------|------------|----------------|
| 1001201   | TE 90° REDUCTEUR PVC DIA 25/20  | 0,041485  | 0,01553     | 4,89       | 110            |
| 1001202   | TE 90° REDUCTEUR PVC DIA 32/25  | 0,068423  | 0,02244     | 7,33       | 100            |
| 1001203   | TE 90° REDUCTEUR PVC DIA 40/32  | 0,11165   | 0,03129     | 9,505      | 80             |
| 1001204   | TE 90° REDUCTEUR PVC DIA 50/40  | 0,171302  | 0,04879     | 11,72      | 65             |
| 1001205   | TE 90° REDUCTEUR PVC DIA 63/50  | 0,3286    | 0,06347     | 13,93      | 40             |
| 1001206   | TE 90° REDUCTEUR PVC DIA 75/63  | 0,51098   | 0,04117     | 10,86      | 20             |
| 1001207   | TE 90° REDUCTEUR PVC DIA 90/75  | 0,852058  | 0,04717     | 10,915     | 12             |
| 1001208   | TE 90° REDUCTEUR PVC DIA 110/90 | 1,49745   | 0,06150     | 15,895     | 10             |
| 1001209   | TE 90° REDUCTEUR PVC DIA 32/20  | 0,062173  | 0,02244     | 6,705      | 100            |
| 1001210   | TE 90° REDUCTEUR PVC DIA 40/20  | 0,092133  | 0,03129     | 8,865      | 90             |
| 1001211   | TE 90° REDUCTEUR PVC DIA 40/25  | 0,102713  | 0,03129     | 8,79       | 80             |
| 1001212   | TE 90° REDUCTEUR PVC DIA 50/20  | 0,159225  | 0,04117     | 10,99      | 65             |
| 1001213   | TE 90° REDUCTEUR PVC DIA 50/25  | 0,152763  | 0,04117     | 10,57      | 65             |
| 1001214   | TE 90° REDUCTEUR PVC DIA 50/32  | 0,15884   | 0,04117     | 10,965     | 65             |
| 1001215   | TE REDUCIDA 90° ENCOLAR 63/20   | 0,265762  | 0,06347     | 14,075     | 50             |
| 1001216   | TE 90° REDUCTEUR PVC DIA 63/25  | 0,267262  | 0,06347     | 14,15      | 50             |
| 1001217   | TE 90° REDUCTEUR PVC DIA 63/32  | 0,312762  | 0,06347     | 16,425     | 50             |
| 1001218   | TE 90° REDUCTEUR PVC DIA 63/40  | 0,323962  | 0,06347     | 16,985     | 50             |
| 1001219   | TE 90° REDUCTEUR PVC DIA 75/32  | 0,4778    | 0,03648     | 10,15      | 20             |
| 1001220   | TE 90° REDUCTEUR PVC DIA 75/40  | 0,484823  | 0,04117     | 11,355     | 22             |
| 1001221   | TE 90° REDUCTEUR PVC DIA 75/50  | 0,48323   | 0,04117     | 10,305     | 20             |
| 1001222   | TE 90° REDUCTEUR PVC DIA 90/40  | 0,82465   | 0,03682     | 10,445     | 12             |
| 1001223   | TE 90° REDUCTEUR PVC DIA 90/50  | 0,812567  | 0,03682     | 10,3       | 12             |





## Raccords PVC-U pression

# Té 90° réducteur à coller

## ITEM 010

| RÉFÉRENCE | DESCRIPTION                      | Poids net | Volume (m³) | contenido.Peso bruto | Unités par lot |
|-----------|----------------------------------|-----------|-------------|----------------------|----------------|
| 1001224   | TE 90° REDUCTEUR PVC DIA 90/63   | 0,82915   | 0,03682     | 10,499               | 12             |
| 1001225   | TE 90° REDUCTEUR PVC DIA 110/50  | 1,40845   | 0,06150     | 15,005               | 10             |
| 1001226   | TE 90° REDUCTEUR PVC DIA 110/63  | 1,42845   | 0,06150     | 15,205               | 10             |
| 1001227   | TE 90° REDUCTEUR PVC DIA 110/75  | 1,43095   | 0,06150     | 15,23                | 10             |
| 1001228   | TE 90° REDUCTEUR PVC DIA 125/63  | 1,834929  | 0,06347     | 13,6745              | 7              |
| 1001229   | TE 90° REDUCTEUR PVC DIA 125/75  | 1,836357  | 0,06347     | 13,6845              | 7              |
| 1001230   | TE 90° REDUCTEUR PVC DIA 125/90  | 1,888214  | 0,06347     | 14,48                | 7              |
| 1001231   | TE 90° REDUCTEUR PVC DIA 125/110 | 1,977786  | 0,06150     | 14,765               | 7              |
| 1001232   | TE 90° REDUCTEUR PVC DIA 140/75  | 2,503675  | 0,04880     | 10,59                | 4              |
| 1001233   | TE 90° REDUCTEUR PVC DIA 140/90  | 2,559425  | 0,04880     | 10,813               | 4              |
| 1001234   | TE 90° REDUCTEUR PVC DIA 140/110 | 2,632425  | 0,04880     | 11,105               | 4              |
| 1001235   | TE 90° REDUCTEUR PVC DIA 140/125 | 2,718675  | 0,04880     | 11,45                | 4              |
| 1001236   | TE 90° REDUCTEUR PVC DIA 160/90  | 3,4215    | 0,06150     | 11,185               | 3              |
| 1001237   | TE 90° REDUCTEUR PVC DIA 160/110 | 3,4465    | 0,06150     | 11,26                | 3              |
| 1001238   | TE 90° REDUCTEUR PVC DIA 160/125 | 3,439833  | 0,06150     | 11,24                | 3              |
| 1001239   | TE 90° REDUCTEUR PVC DIA 160/140 | 3,708167  | 0,06150     | 12,045               | 3              |
| 1001240   | TE 90° REDUCTEUR PVC DIA 200/110 | 5,24155   | 0,06347     | 11,27                | 2              |
| 1001241   | TE 90° REDUCTEUR PVC DIA 200/125 | 5,18405   | 0,06347     | 11,155               | 2              |
| 1001242   | TE 90° REDUCTEUR PVC DIA 200/140 | 5,33155   | 0,06347     | 11,45                | 2              |
| 1001243   | TE 90° REDUCTEUR PVC DIA 200/160 | 5,45655   | 0,06347     | 11,7                 | 2              |
| 1001580   | TE 90° RED PVC 225/125           | 8,2445    | 0,06150     | 9,165                | 1              |
| 1001581   | TE 90° RED PVC 225/140           | 7,1945    | 0,06150     | 8,115                | 1              |
| 1001582   | TE 90° RED PVC 225/160           | 8,0245    | 0,06150     | 8,945                | 1              |






## Raccords PVC-U pression

# Té 90° réducteur à coller

## ITEM 010

| RÉFÉRENCE | DESCRIPTION            | Poids net | Volume (m <sup>3</sup> ) | contenido.Peso bruto | Unités par lot |
|-----------|------------------------|-----------|--------------------------|----------------------|----------------|
| 1001583   | TE 90° RED PVC 225/200 | 7,2895    | 0,06150                  | 8,21                 | 1              |





## ITEM 010 | Té 90° réducteur à coller

| Código | A/a   | Peso (g) | B  | C  | b  | c  | D   | E  | PN   | MEDIDA  |
|--------|-------|----------|----|----|----|----|-----|----|------|---------|
| 01201  | 25/20 | 37       | 33 | 19 | 27 | 16 | 66  | 47 | PN16 | MÉTRICO |
| 01209  | 32/20 | 61       | 40 | 22 | 27 | 16 | 79  | 57 | PN16 | MÉTRICO |
| 01202  | 32/25 | 65       | 40 | 22 | 32 | 19 | 79  | 58 | PN16 | MÉTRICO |
| 01210  | 40/20 | 87       | 50 | 22 | 27 | 16 | 95  | 66 | PN16 | MÉTRICO |
| 01211  | 40/25 | 101      | 50 | 26 | 32 | 19 | 95  | 67 | PN16 | MÉTRICO |
| 01203  | 40/32 | 105      | 50 | 26 | 40 | 22 | 95  | 70 | PN16 | MÉTRICO |
| 01213  | 50/25 | 149      | 60 | 26 | 32 | 19 | 114 | 78 | PN16 | MÉTRICO |
| 01214  | 50/32 | 152      | 60 | 31 | 40 | 22 | 114 | 80 | PN16 | MÉTRICO |
| 01204  | 50/40 | 161      | 60 | 31 | 50 | 26 | 114 | 84 | PN16 | MÉTRICO |
| 01215  | 63/20 | 295      | 76 | 31 | 27 | 16 | 142 | 90 | PN16 | MÉTRICO |





## ITEM 010 | Té 90° réducteur à coller

|       |         |      |     |    |     |    |     |     |             |         |
|-------|---------|------|-----|----|-----|----|-----|-----|-------------|---------|
| 01216 | 63/25   | 298  | 76  | 31 | 32  | 19 | 142 | 93  | <b>PN16</b> | MÉTRICO |
| 01217 | 63/32   | 300  | 76  | 31 | 40  | 22 | 142 | 96  | <b>PN16</b> | MÉTRICO |
| 01218 | 63/40   | 303  | 76  | 38 | 50  | 26 | 142 | 100 | <b>PN16</b> | MÉTRICO |
| 01205 | 63/50   | 318  | 76  | 38 | 62  | 31 | 142 | 102 | <b>PN16</b> | MÉTRICO |
| 01219 | 75/32   | 531  | 91  | 38 | 41  | 22 | 171 | 109 | <b>PN16</b> | MÉTRICO |
| 01220 | 75/40   | 465  | 89  | 45 | 50  | 26 | 167 | 114 | <b>PN16</b> | MÉTRICO |
| 01221 | 75/50   | 163  | 89  | 44 | 60  | 31 | 167 | 117 | <b>PN16</b> | MÉTRICO |
| 01206 | 75/63   | 574  | 89  | 44 | 76  | 38 | 167 | 126 | <b>PN16</b> | MÉTRICO |
| 01222 | 90/40   | 832  | 107 | 44 | 50  | 26 | 200 | 132 | <b>PN16</b> | MÉTRICO |
| 01223 | 90/50   | 951  | 107 | 51 | 60  | 31 | 200 | 140 | <b>PN16</b> | MÉTRICO |
| 01224 | 90/63   | 940  | 107 | 51 | 76  | 38 | 200 | 140 | <b>PN16</b> | MÉTRICO |
| 01207 | 90/75   | 947  | 107 | 51 | 92  | 44 | 200 | 150 | <b>PN16</b> | MÉTRICO |
| 01225 | 110/50  | 1200 | 130 | 51 | 60  | 31 | 237 | 158 | <b>PN16</b> | MÉTRICO |
| 01226 | 110/63  | 1292 | 130 | 61 | 76  | 38 | 237 | 165 | <b>PN16</b> | MÉTRICO |
| 01227 | 110/75  | 1307 | 130 | 61 | 92  | 44 | 237 | 169 | <b>PN16</b> | MÉTRICO |
| 01208 | 110/90  | 1316 | 130 | 61 | 110 | 51 | 237 | 173 | <b>PN16</b> | MÉTRICO |
| 01228 | 125/63  | 1760 | 145 | 69 | 76  | 38 | 277 | 173 | <b>PN16</b> | MÉTRICO |
| 01229 | 125/75  | 1748 | 145 | 69 | 89  | 44 | 277 | 180 | <b>PN16</b> | MÉTRICO |
| 01230 | 125/90  | 1825 | 145 | 69 | 108 | 51 | 277 | 188 | <b>PN16</b> | MÉTRICO |
| 01231 | 125/110 | 1924 | 145 | 69 | 130 | 61 | 277 | 197 | <b>PN16</b> | MÉTRICO |
| 01232 | 140/75  | 2407 | 163 | 76 | 89  | 44 | 295 | 195 | <b>PN16</b> | MÉTRICO |
| 01233 | 140/90  | 2498 | 163 | 76 | 107 | 51 | 295 | 202 | <b>PN16</b> | MÉTRICO |
| 01234 | 140/110 | 2576 | 163 | 76 | 130 | 61 | 295 | 212 | <b>PN16</b> | MÉTRICO |
| 01235 | 140/125 | 2640 | 163 | 76 | 145 | 69 | 295 | 220 | <b>PN16</b> | MÉTRICO |
| 01236 | 160/90  | 3520 | 186 | 86 | 107 | 51 | 334 | 237 | <b>PN10</b> | MÉTRICO |
| 01237 | 160/110 | 3840 | 186 | 86 | 130 | 61 | 334 | 247 | <b>PN10</b> | MÉTRICO |






## ITEM 010 | Té 90° réducteur à coller

|       |         |      |     |     |     |     |     |     |             |         |
|-------|---------|------|-----|-----|-----|-----|-----|-----|-------------|---------|
| 01238 | 160/125 | 3900 | 186 | 86  | 145 | 69  | 334 | 255 | <b>PN10</b> | MÉTRICO |
| 01239 | 160/140 | 4125 | 186 | 86  | 163 | 76  | 334 | 262 | <b>PN10</b> | MÉTRICO |
| 01240 | 200/110 | 5990 | 226 | 106 | 131 | 61  | 408 | 287 | <b>PN10</b> | MÉTRICO |
| 01241 | 200/125 | 6489 | 226 | 106 | 148 | 69  | 408 | 295 | <b>PN10</b> | MÉTRICO |
| 01242 | 200/140 | 6614 | 226 | 106 | 164 | 76  | 408 | 302 | <b>PN10</b> | MÉTRICO |
| 01243 | 200/160 | 6936 | 226 | 106 | 182 | 82  | 408 | 308 | <b>PN10</b> | MÉTRICO |
| 01244 | 225/125 | 7750 | 252 | 119 | 148 | 69  | 470 | 321 | <b>PN10</b> | MÉTRICO |
| 01245 | 225/140 | 7980 | 252 | 119 | 164 | 76  | 470 | 328 | <b>PN10</b> | MÉTRICO |
| 01246 | 225/160 | 8160 | 252 | 119 | 182 | 86  | 470 | 338 | <b>PN10</b> | MÉTRICO |
| 01247 | 225/200 | 8630 | 252 | 119 | 226 | 106 | 470 | 358 | <b>PN10</b> | MÉTRICO |





## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es