



Raccords pression à coller/mixte

## Té 90° Netvitc System A/B PPVF ITEM 33N

| RÉFÉRENCE | DESCRIPTION                      | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|----------------------------------|-----------|--------------------------|------------|----------------|
| 101N255   | TÉ 90° NETVITC SYSTEM A/B PP 63  | 1,23      | 0,01553                  | 0          | 4              |
| 101N257   | TÉ 90° NETVITC SYSTEM A/B PP 90  | 2,93      | 0,06347                  | 12,62      | 4              |
| 101N258   | TÉ 90° NETVITC SYSTEM A/B PP 110 | 4,14      | 0,06347                  | 17,46      | 4              |
| 101N259   | TÉ 90° NETVITC SYSTEM A/B PP 125 | 5,7991    | 0,08678                  | 12,62      | 2              |
| 101N261   | TÉ 90° NETVITC SYSTEM A/B PP 160 | 9,635     | 0,04836                  | 10,475     | 1              |
| 101N262   | TÉ 90° NETVITC SYSTEM A/B PP 200 | 16,72     | 0,06150                  | 17,7       | 1              |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es



## ITEM 33N | Té 90° Netvitc System A/B PPVF

| CÓDIGO | f   | PESO  | BRIDA | A   | B     | C   | PN   | MEDIDA  |
|--------|-----|-------|-------|-----|-------|-----|------|---------|
| 1N255  | 63  | 1230  | 63    | 382 | 260.5 | 88  | PN10 | MÉTRICO |
| 1N257  | 90  | 2930  | 90    | 489 | 327   | 103 | PN10 | MÉTRICO |
| 1N258  | 110 | 4140  | 110   | 547 | 369   | 112 | PN10 | MÉTRICO |
| 1N259  | 125 | 5925  | 125   | 576 | 388.5 | 108 | PN10 | MÉTRICO |
| 1N260  | 140 | 6200  | 140   | 645 | 435   | 124 | PN10 | MÉTRICO |
| 1N261  | 160 | 9635  | 160   | 685 | 477.5 | 127 | PN10 | MÉTRICO |
| 1N262  | 200 | 16720 | 200   | 799 | 545   | 130 | PN10 | MÉTRICO |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es