




Vannes anti-retour à ressort

Sortie fitting - pied - Joint FPM

ITEM 277

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m³)	Poids brut	Unités par lot
1016721	V. RET.PIED PVC (A/R), S/FITTING 20 FPM	0,165	0,02244	7,14	40
1016722	V. RET.PIED PVC (A/R), S/FITTING 25 FPM	0,23	0,03129	9,76	40
1016723	V. RET.PIED PVC (A/R), S/FITTING 32 FPM	0,352	0,03129	11,12	30
1016724	V. RET.PIED PVC (A/R), S/FITTING 40 FPM	0,581	0,03129	9,856	16
1016725	V. RET.PIED PVC (A/R), S/FITTING 50 FPM	0,79	0,03682	12,47	15
1016726	V. RET.PIED PVC (A/R), S/FITTING 63 FPM	1,285	0,04836	13,69	10
1016727	V. RET.PIED PVC (A/R), S/FITTING 75 FPM	2,45	0,04717	13,01	5
1016728	V. RET.PIED PVC (A/R), S/FITTING 90 FPM	4,592	0,06347	18,93	4





ITEM 277 | Sortie fitting - pied - Joint FPM

Código Vitón	A	Peso	B	C	PN	MEDIDA
16721	20	158	52	146	PN16	MÉTRICO
16722	25	226	59	167	PN16	MÉTRICO
16723	32	364	69	205	PN16	MÉTRICO
16724	40	603	85	234	PN16	MÉTRICO
16725	50	780	99	242	PN16	MÉTRICO
16726	63	1133	116	306	PN16	MÉTRICO
16727	75	3689	150	414	PN10	MÉTRICO
16728	90	5900	178	465	PN10	MÉTRICO





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es