




Vannes anti-retour à ressort

Sortie thermofusion - pied - Joint EPDM ITEM 510



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m ³)	Poids brut	Unités par lot
1016131	V. RET. PIED PVC (A/R), S/THERMO.20	0,129	0,02244	5,7	40
1016132	V. RET. PIED PVC (A/R), S/THERMO.25	0,174	0,03129	6,8	40
1016133	V. RET. PIED PVC (A/R), S/THERMO.32	0,299	0,03129	8,45	30
1016134	V. RET. PIED PVC (A/R), S/THERMO.40	0,44	0,03129	7,312	16
1016135	V. RET. PIED PVC (A/R), S/THERMO.50	0,642	0,03682	9,803	15
1016136	V. RET. PIED PVC (A/R), S/THERMO.63	1,05	0,04836	12,43	10
1016137	V. RET. PIED PVC (A/R), S/THERMO.75	2,181	0,04717	11,76	5
1016138	V. RET. PIED PVC (A/R), S/THERMO.90	3,4962	0,03129	7,536	2





ITEM 510 | Sortie thermofusion - pied - Joint EPDM

Código EPDM	A	Peso	B	C	D	PN	MEDIDA
16131	20	110	52	62	170	PN16	MÉTRICO
16132	25	140	59	62	178	PN16	MÉTRICO
16133	32	233	69	46	195	PN16	MÉTRICO
16134	40	378	85	64	226	PN16	MÉTRICO
16135	50	524	99	79	253	PN16	MÉTRICO
16136	63	862	116	89	270	PN16	MÉTRICO
16137	75	2279	150	91	341	PN10	MÉTRICO
16138	90	3496	178	100	400	PN10	MÉTRICO





Documentation Produit



Certifications de produits

Certificats d'entreprise



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es