




## Vannes à boisseau 'Basic'

# Cuerpo V.E bloque seguridad a/elec. 220v. - PTFE ITEM 261



| RÉFÉRENCE | DESCRIPTION                            | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|----------------------------------------|-----------|--------------------------|------------|----------------|
| 1011569   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 20  | 1,683     | 0,01553                  | 1,923      | 1              |
| 1011570   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 25  | 1,701     | 0,02244                  | 2,241      | 1              |
| 1011571   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 32  | 1,759     | 0,03129                  | 2,299      | 1              |
| 1011572   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 40  | 1,924     | 0,03129                  | 2,484      | 1              |
| 1011573   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 50  | 2,022     | 0,03129                  | 2,582      | 1              |
| 1011574   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 63  | 2,7       | 0,03648                  | 3,4        | 1              |
| 1011575   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 75  | 3,791     | 0,04460                  | 4,631      | 1              |
| 1011576   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 90  | 4,359     | 0,04460                  | 5,199      | 1              |
| 1011577   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 110 | 5,93      | 0,04460                  | 6,77       | 1              |
| 1011578   | V. SHER. A/MOT ELEC 220V,BLOC SEC, 125 | 6,485     | 0,04460                  | 7,325      | 1              |





## ITEM 261 | Cuerpo V.E bloque seguridad a/elec. 220v. - PTFE

| CÓDIGO | f tubo | PESO (g) | DN  | Actuador | A   | B   | C   | PN   | MEDIDA  |
|--------|--------|----------|-----|----------|-----|-----|-----|------|---------|
| 11569  | 20     | 1683     | 15  | S20      | 47  | 227 | 177 | PN16 | MÉTRICO |
| 11570  | 25     | 1701     | 20  | S20      | 51  | 232 | 177 | PN16 | MÉTRICO |
| 11571  | 32     | 1759     | 25  | S20      | 66  | 243 | 177 | PN16 | MÉTRICO |
| 11572  | 40     | 1924     | 32  | S20      | 72  | 265 | 177 | PN16 | MÉTRICO |
| 11573  | 50     | 2022     | 40  | S20      | 77  | 282 | 177 | PN16 | MÉTRICO |
| 11574  | 63     | 2700     | 50  | S20      | 90  | 352 | 177 | PN16 | MÉTRICO |
| 11575  | 75     | 3791     | 65  | S35      | 121 | 426 | 177 | PN10 | MÉTRICO |
| 11576  | 90     | 4359     | 80  | S55      | 141 | 453 | 177 | PN10 | MÉTRICO |
| 11577  | 110    | 5930     | 100 | S55      | 155 | 477 | 177 | PN10 | MÉTRICO |
| 11578  | 125    | 6485     | 113 | S85      | 161 | 500 | 177 | PN10 | MÉTRICO |





## ITEM 261 | Cuerpo V.E bloque seguridad a/elec. 220v. - PTFE

---



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es