



Vannes à boisseau 'Basic'

# ROBINET A BOULE BASIC

## SORTIE MALE A COLLER

## FPM

### ITEM 781



| RÉFÉRENCE | DESCRIPTION                     | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|---------------------------------|-----------|-------------|------------|----------------|
| 1011460   | VALVULA ENLACE ENC/MACHO 20 FPM | 0,158     | 0,01553     | 6,64       | 40             |
| 1011461   | VALVULA ENLACE ENC/MACHO 25 FPM | 0,2       | 0,02243     | 8,32       | 40             |
| 1011462   | VALVULA ENLACE ENC/MACHO 32 FPM | 0,332     | 0,03129     | 10,58      | 30             |
| 1011463   | VALVULA ENLACE ENC/MACHO 40 FPM | 0,574     | 0,03129     | 12,1       | 20             |
| 1011464   | VALVULA ENLACE ENC/MACHO 50 FPM | 0,838     | 0,03129     | 13,19      | 15             |
| 1011473   | VALVULA ENLACE ENC/MACHO 63 FPM | 1,308     | 0,03682     | 13,78      | 10             |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es



## ITEM 781 | ROBINET A BOULE BASIC SORTIE MALE A COLLER FPM

| CÓDIGO | f  | PESO (g) | DN | A   | B   | C  | D   | F  | PN   | MEDIDA  |
|--------|----|----------|----|-----|-----|----|-----|----|------|---------|
| 11460  | 20 | 158      | 15 | 104 | 52  | 16 | 78  | 47 | PN16 | MÉTRICO |
| 11461  | 25 | 200      | 20 | 112 | 59  | 19 | 84  | 51 | PN16 | MÉTRICO |
| 11462  | 32 | 332      | 25 | 142 | 70  | 23 | 97  | 66 | PN16 | MÉTRICO |
| 11463  | 40 | 574      | 32 | 165 | 84  | 25 | 128 | 72 | PN16 | MÉTRICO |
| 11464  | 50 | 838      | 40 | 180 | 99  | 31 | 142 | 77 | PN16 | MÉTRICO |
| 11473  | 63 | 1308     | 50 | 210 | 121 | 38 | 165 | 90 | PN16 | MÉTRICO |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



[www.hidroten.es](http://www.hidroten.es)