




## Vannes à boisseau 'Basic'

# Sortie taraudée - PE - Système Basic

## ITEM 208

| RÉFÉRENCE | DESCRIPTION                        | Poids net | Volume (m³) | Poids brut | Unités par lot |
|-----------|------------------------------------|-----------|-------------|------------|----------------|
| 1011092   | V.BOISSEAU SPHER TARAUDÉ 1/2"      | 0,163708  | 0,01553     | 6,875      | 40             |
| 1011093   | V.BOISSEAU SPHER TARAUDÉ 3/4"      | 0,208433  | 0,02244     | 8,825      | 40             |
| 1011094   | V.BOISSEAU SPHER TARAUDÉ 1"        | 0,3581    | 0,03129     | 11,316     | 30             |
| 1011095   | V.BOISSEAU SPHER TARAUDÉ 1 1/4"    | 0,61035   | 0,03129     | 12,78      | 20             |
| 1011096   | V.BOISSEAU SPHER TARAUDÉ 1 1/2"    | 0,880467  | 0,03129     | 14,535     | 15             |
| 1011097   | V.BOISSEAU SPHER TARAUDÉ 2"        | 1,36958   | 0,03682     | 14,245     | 10             |
| 1011098   | V.BOISSEAU SPHER TARAUDÉ 2 1/2"    | 2,77675   | 0,03129     | 11,68      | 4              |
| 1011099   | V.BOISSEAU SPHER TARAUDÉ 3"        | 4,49115   | 0,02244     | 9,47       | 2              |
| 1011692   | ROBINET SPHER. A VISSER FEM-FEM 4" | 6,1676    | 0,04460     | 13,065     | 2              |





## ITEM 208 | Sortie taraudée - PE - Système Basic

| CÓDIGO | r      | DN  | PESO (g) | A   | B   | C  | D   | E   | F   | PN   | TIPO ROSCA |
|--------|--------|-----|----------|-----|-----|----|-----|-----|-----|------|------------|
| 11092  | 1/2"   | 15  | 164      | 91  | 52  | 17 | 78  | 94  | 47  | PN16 | BSP        |
| 11093  | 3/4"   | 20  | 208      | 101 | 59  | 20 | 84  | 100 | 51  | PN16 | BSP        |
| 11094  | 1"     | 25  | 358      | 120 | 70  | 23 | 97  | 140 | 66  | PN16 | BSP        |
| 11095  | 1 1/4" | 32  | 610      | 134 | 84  | 26 | 128 | 161 | 72  | PN16 | BSP        |
| 11096  | 1 1/2" | 40  | 880      | 153 | 99  | 33 | 142 | 171 | 77  | PN16 | BSP        |
| 11097  | 2"     | 50  | 1369     | 161 | 121 | 29 | 165 | 182 | 90  | PN16 | BSP        |
| 11098  | 2 1/2" | 65  | 2776     | 204 | 151 | 33 | 222 | 275 | 121 | PN10 | BSP        |
| 11099  | 3"     | 80  | 4491     | 234 | 175 | 36 | 244 | 290 | 141 | PN10 | BSP        |
| 11692  | 4"     | 100 | 6167     | 267 | 210 | 42 | 307 | 426 | 155 | PN10 | BSP        |





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es