





## Válvulas de esfera "Basic" bidireccional

# Válv. Bola “Basic” bidireccional FPM salida r/h ITEM 651


| REFERÊNCIA | DESCRIÇÃO                             | Peso líquido | Volumen (m <sup>3</sup> ) | Peso bruto | Unidades por lote |
|------------|---------------------------------------|--------------|---------------------------|------------|-------------------|
| 111D492    | V.esfera bidireccional R/H 1/2" FPM   | 0,152        | 0,01553                   | 6,4067     | 40                |
| 111D493    | V.esfera bidireccional R/H 3/4" FPM   | 0,202        | 0,02244                   | 8,5677     | 40                |
| 111D494    | V.esfera bidireccional R/H 1" FPM     | 0,344        | 0,03129                   | 10,893     | 30                |
| 111D495    | V.esfera bidireccional R/H 1 1/4" FPM | 0,584        | 0,03129                   | 12,253     | 20                |
| 111D496    | V.esfera bidireccional R/H 1 1/2" FPM | 0,836        | 0,03129                   | 13,113     | 15                |
| 111D497    | V.esfera bidireccional R/H 2" FPM     | 1,371        | 0,03682                   | 14,2592    | 10                |
| 111D498    | V.esfera bidireccional R/H 2 1/2" FPM | 2,793        | 0,03129                   | 11,745     | 4                 |
| 111D499    | V.esfera bidireccional R/H 3" FPM     | 4,41         | 0,02243                   | 8,82       | 2                 |








| CÓDIGO | T      | (g)  | DN | A   | B   | C  | D   | E   | F   | PN          | ROSCA |
|--------|--------|------|----|-----|-----|----|-----|-----|-----|-------------|-------|
| 11D492 | 1/2"   | 154  | 15 | 86  | 55  | 17 | 74  | 80  | 44  | <b>PN16</b> | BSP   |
| 11D493 | 3/4"   | 194  | 20 | 99  | 62  | 20 | 80  | 80  | 49  | <b>PN16</b> | BSP   |
| 11D494 | 1"     | 315  | 25 | 122 | 72  | 23 | 103 | 101 | 66  | <b>PN16</b> | BSP   |
| 11D495 | 1 1/4" | 540  | 32 | 131 | 88  | 26 | 125 | 130 | 71  | <b>PN16</b> | BSP   |
| 11D496 | 1 1/2" | 816  | 40 | 155 | 103 | 33 | 138 | 130 | 75  | <b>PN16</b> | BSP   |
| 11D497 | 2"     | 1304 | 50 | 180 | 120 | 29 | 177 | 170 | 89  | <b>PN16</b> | BSP   |
| 11D498 | 2 1/2" | 2710 | 65 | 202 | 150 | 33 | 215 | 260 | 119 | <b>PN10</b> | BSP   |
| 11D499 | 3"     | 4360 | 80 | 232 | 181 | 36 | 252 | 260 | 140 | <b>PN10</b> | BSP   |





## Documentação do Produto



## Certificados do Produto

## Certificados da Empresa

